

FIGURE 1




Figure 2





Figure 3



3/11




Figure 4


402  
106

120

406

4/11

Figure 5



5/11


106

406

402

505

108



601

6/11

Figure 6

Figure 7




Figure 8

803

Johnson & Johnson Gateway Commerce - Microsoft Internet Explorer provided by Johnson & Johnson Web

Address: http://switches.jnj.com/b2b/savedOrderEdit.cfm?OpCardID=725&OpAction=Edit

**Saved Order Manager**

Folder Name:

Saved Order Name:   If set to 'Shared', other members of your organization will be able to see and use this saved order.

Product ID	Description	Unit of Measure	Extended Price	Price
P1175	BIOPSY SYSTEM, STEROTACTIC PROBE	Box	\$1,075.00	\$3,225.00
4	GENU1 GENERATOR, MODEL G-10	Case	\$16,537.50	\$6,150.00
2	HDI05 HARMONIC SCALPEL 5MM HD SHEATH	Box	\$1,039.50	\$2,079.00

Selected Products Total: \$71,454.00

Make no changes and return to current order screen.  
 Update changes and return to current order screen.  
 Update changes and add these items to your current order.  
 Replace items in current order with these items.

802

804

806

113

8/11

Figure 9

Johnson & Johnson Gateway Commerce - Microsoft Internet Explorer provided by Johnson & Johnson WHQ

File Edit View Go Favorites Help

Back Forward Stop Refresh Home Search Favorites History Help Print

Address: http://switch.eastus.int.com/b2b/order\_history.cfm

**Order and Invoice History**

Order Number	Order Date	PONumber	Order Status	Web Order Confirmation Number
26-Apr-2000	bigPONumber		COACT FILE	W0000018
26-Apr-2000	mycoolPNum		No COACT Response Release	W0000019
26-Apr-2000	MyNewPONumber		No COACT Response Release	W0000020
26-Apr-2000	anotherOrder		No COACT Response Cancel	W0000021
26-Apr-2000	1234567		No COACT Response Release	W0000029
27-Apr-2000	123456		No COACT Response Release	W0000040
27-Apr-2000	8765439		No COACT Response Release	W0000041
27-Apr-2000	345678		No COACT Response Release	W0000042
27-Apr-2000	98765		COACT FILE	W0000043
27-Apr-2000	Ir test		COACT FILE	W0000044
27-Apr-2000	Ir test		COACT FILE	W0000045
27-Apr-2000	Ir test		COACT FILE	W0000046
28-Apr-2000	98765		COACT FILE	W0000047
28-Apr-2000	987654		COACT FILE	W0000048
01-May-2000	93288899		COACT FILE	W0000049
01-May-2000	4445566		No COACT Response Release	W0000055
01-May-2000	66667778		No COACT Response Release	W0000056
01-May-2000	666689977		No COACT Response Release	W0000057
01-May-2000	4443355		No COACT Response Release	W0000058
01-May-2000	68887766		No COACT Response Release	W0000059

12 items remaining (Open to order history)

Local Intranet 2000


**OrderStatus**

- ALL
- BACKORDERED
- CANCELLED
- ENDED BUT NO RELEASED
- RELEASED
- SUSPENDED
- UNENDED

115 903 901 116


9/1

Figure 10



10/11

Figure 11



1103

1104

1105

117

1101

1102